

EVA Hot Melt Web Film

Specifications :

Price	Contact Us
Brand Name	HengNing
Place of Origin	Shanghai, China
Payment Terms	T/T, L/C, Western Union, etc.
Delivery Detail	10-25 Working Days.

Detail Introduction :

Hot melt mesh film in the process, do not add harmful solvents, only change the physical state of the hot melt adhesive, inherit the characteristics of environmental protection, bonding a wide range of hot melt adhesive, bonding quickly, can be applied to fabrics, leather, metal, plastic, microfiber, non-woven, wood, paper and other materials between the bonding, hot pressing process is simple, high peel strength, resistant to washing dry cleaning, product environmental protection and odorless, is a better choice for export-oriented products.

The use of hot melt mesh bonding is better than glue bonding is?

1. Eliminating the complicated process of glue application and related equipment.
2. The use of very fast, heating - cooling will be firmly adhered.
3. On textiles, leather, fabrics, glass fiber products bonding fastness better than the same price glue.
4. Environmental protection adhesive, no harm to the environment and human body.
5. No need to worry about bad glue control and glue seepage, the composite material is clean and tidy, no odor. glue
6. The bonded material after washing and dry cleaning does not fall off, no wrinkling, no blistering.

Main application areas?

Garment: garment door lapel, cuffs, hem, collar, foot opening, etc. pleated edges, smooth seams, belts, straps, shoulder pads fixed, etc., bonding of underwear fabrics.

Automobile: bonding of automobile headliner, carriage insulation floor, sound-absorbing board, seat ornaments, etc.

Material compound: bonding compound all kinds of textile fabrics, sponge, rubber foam, non-woven fabrics, paper, leather, aluminum foil

Other: furniture, wood, upholstery, and many other areas requiring bonding.

Series	Material	Type	Width(mm)	Weight(g/?)	Melting Po
Adhesive Retina	PA	HA120	10-3200	5-150	
		HA105	10-3200	8-150	
		HA95	10-3200	8-150	
	PES	HP125	10-3200	10-150	

HP160	10-3200	10-150	160	10-30	175-180
TPU	HT105	10-3200	12-150	105	10-30
	HT70	10-3200	10-150	70	10-30
EVA	HE80	10-3200	10-150	80	10-30